

lccFormPostFile Manual

Contents

Description.....	1
lccFormPostFile.....	1
Using.....	1
Starting (will show on screen help)	2
Starting With Parameters.....	2
Command Line Parameters	2
Definitions	3
Modifications.....	3

Description

This document describes how to use the lccFormPostFile.

lccFormPostFile

is a Command Line program created to send a single file to a web API (URL).

The program was a built for web APIs that require you to upload a file, but, with no parameters/other information.

Using

Starting (will show on screen help)

- run the **lccFormPostFile.exe**

Starting With Parameters

- Example #1 - Set Log Path, File, URL
- **lccFormPostFile.exe lcc:logPath .\lccFormPostFile-Log lcc:filePath \\server\share\$\ourFile.txt lcc:url https://somesite.com/someAPI?someToken=12345**
- Example #2- Set Log Path, File, URL, show Query Keys/Response Headers
- **lccFormPostFile.exe lcc:logPath lcc:showQueryKeys lcc:showResponseHeaders .\lccFormPostFile-Log lcc:filePath \\server\share\$\ourFile.txt lcc:url https://somesite.com/someAPI?someToken=12345**
- Example #3- Set Log Path, File, URL, show Query Keys/Response Headers, Security Protocol
- **lccFormPostFile.exe lcc:logPath lcc:showQueryKeys lcc:showResponseHeaders .\lccFormPostFile-Log lcc:filePath \\server\share\$\ourFile.txt lcc:url https://somesite.com/someAPI?someToken=12345 lcc:securityProtocol TLS1.2**

Command Line Parameters

All keys can be provided in any order, but, the value for a key should follow that key.

Valid Values (types of actions)

- **lcc:logPath**
- **lcc:filePath**
- **lcc:url**
- **lcc:showQueryKeys**: displays the Query Keys supplied to the URL.
- **lcc:showResponseHeaders**: display the response headers received after posting.

lcc:logPath (optional)(one per command)

Defines the logging path/file. This will automatically post pend the YYYYMMDD and .log.

Syntax: **lcc:logPath** [tab] [path]

Example: **lcc:logPath .\lccFormPostFileLog**

lcc:filePath (mandatory)(one per command)

Defines the path/file to be uploaded.

Syntax: `lcc:filePath [tab] [path/file]`

Example: `lcc:filePath \\server\share$\ourFile.txt`

lcc:url (mandatory)(one per command)

Defines the URL to form post to.

Syntax: `lcc:url [tab] [URL]`

Example: `lcc:url https://somesite.com/someAPI?someToken=12345`

lcc:securityProtocol (optional)(one per command)

Defines the Security Protocol used. By default, the program uses TLS 1.0.

Valid Values

- SSL3
- TLS1.1
- TLS1.2

Syntax: `lcc:securityProtocol [tab] [protocol]`

Example: `lcc:securityProtocol TLS1.2`

Definitions

Modifications

NAME	DATE	MODIFICATION
David Mielcarek	1/22/2016	Created
David Mielcarek	8/22/2016	Added key lcc:securityProtocol

End of document